

SAFETY DATA SHEET

CS-102B

Section 1. Identification

: CS-102B **GHS** product identifier : Not Available Other means of

identification

Relevant identified uses of the substance or mixture and uses advised against

Not available

Supplier's details : Concrete Sealants, Inc.

> 9325 St. Rte. 201 Tipp City, Ohio 45371 Tel.: 937-845-8776 Toll-free: 800-332-7325 Fax: 937-845-3587 Email: hello@conseal.com Website URL: www.conseal.com

Emergency telephone

number (with hours of

operation)

: 937-845-8776 or 800-332-7325

(6am to 5pm EST)

Section 2. Hazards Identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

> Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not Classified

GHS label elements

: No signal word Signal word

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

: Read label before use. Keep out of reach of children. If medical advice is needed, General

have product container or label at hand.

Prevention : Not applicable Response : Not applicable Storage : Not applicable Disposal : Not applicable Hazards not otherwise : None known

classified

Section 3. Composition/information on ingredients

: Mixture Substance/mixture Other means of : Not available

identification

CAS number/other identifiers

CAS number : Not applicable **Product code** : Not available





Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
Crystalline silica, quartz	10 – 30	14808-60-7
Kaolin Palygorskite	1 – 5 1 – 5	1332-58-7 12174-11-7
Titanium dioxide	1 – 5	13463-67-7
Hydrogen sulphide	0 – 0.1	7783-06-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contactInhalationNot a likely route of exposure.Skin contactNo first aid should be needed.

Ingestion : Wash mouth out with water. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If material has been swallowed and the person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments

Protection of first-aiders

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing

: Carbon dioxide, dry chemical, foam and water fog spray.

media

Unsuitable extinguishing

media

: None known

Specific hazards arising

from the chemical

: No specific fire or explosion hazard.



Section 5. Firefighting measures

Hazardous thermal decomposition products

: Decomposition materials may include the following materials:

carbon dioxide carbon monoxide

Special protective actions

for firefighters

: No special measures are required.

Special protective equipment for firefighters

: Firefighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: No action shall be taken involving any personal risk or without suitable training. Put

on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel."

Environmental precautions

: None require if used according to recommended conditions.

Methods and materials for contaminant and cleaning up

Spill : Not applicable

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and faces before eating, drinking and smoking. See also Section 8 for additional information on

hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store away from direct sunlight in a, cool and well-ventilated area, away from incompatible materials (see Section 10) and

food and drink. Do not store in unlabeled containers.

Section 8. Exposure Controls / Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Crystalline silica, quartz	OSHA PEL Z3 (United States, 2/2013). TWA: 10 MG/M3 / (%SiO2+2) 8 hours. Form: Respirable TWA: 250 MPPCF / (%SiO2+5) 8 hours. Form: Respirable ACGIH TLV (United States, 6/2013). TWA: 0.025 mg/m³ 8 hours. Form: Respirable fraction NIOSH REL (United States, 4/2013). TWA: 0.05 mg/m³ 10 hours. Form: Respirable dust ACGIH TLV (United States, 3/2012).
Kaolin	TWA: 2 mg/m³ 8 hours. Form: Respirable fraction NIOSH REL (United States, 6/2009). TWA: 5 mg/m³ 10 hours. Form: Respirable fraction TWA: 10 mg/m³ 10 hours. Forms: Total OSHA PEL (United States, 6/2010). TWA: 5 mg/m³ 8 hours. Forms: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust



Section 8. Exposure Controls / Personal Protection Titanium dioxide OSHA PEL (United States, 6/2010). TWA: 15 mg/m³ 8 hour. Form: Total dust OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m³ 8 hours. Form: Total dust ACGIH TLV (United States, 3/2012). TWA: 10 mg/m³ 8 hours. Hydrogen sulphide ACGIH TLV (United States, 6/2013). STEL: 5 ppm 15 minutes. TWA: 1 ppm 8 hours. NIOSH REL (United States, 4/2013). CEIL: 15 mg/m³ 10 minutes. CEIL: 10 ppm 10 minutes. OSHA PEL Z2 (United States, 2/2013). AMP: 50 ppm 10 minutes. CEIL: 20 ppm

Appropriate engineering

controls

: Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure

they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gasses or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with

side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should

be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

Body protection: Not required under normal use.Other skin protection: Not required under normal use.Respiratory protection: Not required under normal use.

Section 9. Physical and Chemical Properties

Appearance

Physical state : Solid Color : Black

Odor : Petroleum. [Slight]

Odor threshold : Not available
pH : Not available
Melting point : Not available
Boiling point : Not available

Flash point : Open cup: 232.22°C (450°F) [Cleveland.]

Burning time: Not availableBurning rate: Not availableEvaporation rate: Not availableFlammability (solid, gas): Not available



Section 9. Physical and Chemical Properties

Lower and upper

explosive (flammable)

limits

: Not available

: Not available Vapor pressure : Not available Vapor density

Relative density : 1.25

Solubility : Insoluble in the following material: cold water and hot water.

Solubility in water

Partition coefficient n-

octanol/water

: Not available

Auto-ignition temperature : Not available **Decomposition**

: Not available

temperature

SADT : Not available **Viscosity** : Not available

Section 10. Stability and Reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials. Non-

reactive or compatible with the following materials: reducing materials, combustible

materials, organic materials, metals, acids, alkalis, and moisture.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Hydrogen sulphide	LC50 Inhalation Gas.	Rat	444 ppm	4 hours
	LC50 Inhalation Vapor	Rat	700 mg/m³	4 hours

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin – Mild irritant	Human	-	72 hours 300 µg Intermittent	-

Sensitization

: There is no data available Skin Respiratory : There is no data available

Mutagenicity

There is no data available

Carcinogenicity Classification

Product/ingredient name 0

SHA	IARC	NTP
-----	------	-----



Section 11. Toxicological Information					
Crystalline silica, quartz	-	1	Known to be a human carcinogen.		
Palygorskite	-	2B	-		
Titanium dioxide	-	2B	-		

There is no data available

Reproductive toxicity

There is no data available

Teratogenicity

There is no data available

Specific target organ toxicity (single exposure)

There is no data available

Specific target organ toxicity (repeated exposure)

Name	Category	Route of	Target organs
		exposure	
Crystalline silica, quartz	Category 1	Not determined	Kidneys, respiratory tract and testes
Kaolin	Category 2	Inhalation	Not determined

Aspiration hazard

There is no data available

Information on the likely

routes of exposure

: Route of entry anticipated: Oral, Dermal.

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.



Section 11. Toxicological Information

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Costian 40 Foological Information	

Section 12. Ecological Information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide	Acute EC50 5.83 mg/L Fresh water	Algae- Pseudokirchneriella subcapitata- Exponential growth phase	72 hours
	Acute LC50 3 mg/L Fresh water	Crustaceans- Ceriodaphnia d ubia Neonate	48 hours
	Acute LC50 5.5 ppm Fresh water	Daphnia-Daphnia magna-Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 1000 mg/L Fresh water Chronic NOEC 0.984 mg/L Fresh water	Fish- Pimephales promelas Algae- Pseudokirchneriella subcapitata Exponential growth phase	96 hours 72 hours
Hydrogen sulphide	Acute EC50 62 μg/l Fresh water	Crustaceans- Gammarus	2 days
	Acute LC50 2 μg/l Fresh water	pseudolimnaeus Fish- Coregonus clupeaformis- Yolk-sac fry	96 hours

Persistence and degradability

There is no data available

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide	-	352	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal Considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information



Section 14. Transport Information

	DOT Classification	IMDG	IATA			
UN number	Not regulated	Not regulated	Not regulated			
UN proper shipping name	-	-	-			
Transport hazard class(es)	-	-	-			
Packing group	-	-	-			
Environmental hazards	No.	No.	No.			
Additional information	-	-	-			

Special precautions for

user

: Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do

in the event of an accident or spillage.

Transport in bulk according : Not available

to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory Information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempt.

Clean Air Act Section 112 : Not Listed

(b) Hazardous Air

Pollutants (HAPs)

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

DEA List I Chemicals

(Precursor Chemicals)

DEA List II Chemicals

(Essential Chemicals)

: Not listed

: Not listed

SARA 302/304

Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Hydrogen sulphide	0 – 0.1	Yes.	500	-	100	-

No products were found

SARA 304 RQ : 1394700.1 lbs /633193.9 kg



SARA 311/312

Classification : Not applicable Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Crystalline silica, quartz Kaolin Palygorskite Titanium dioxide Hydrogen sulphide	10-30 1-5 1-5 1-5 0-0.1	No. No. No. No. Yes.	No. No. No. No. Yes.	No. No. No. No.	No. No. No. No. Yes.	Yes. Yes. Yes. Yes. No.

SARA 313

	Product name	CAS number	%
Form R – Reporting requirements			
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: Crystalline silica, quartz; Titanium dioxide;

Cellulose; Petroleum asphalt.

New York : None of the components are listed.

New Jersey : The following components are listed: Crystalline silica, quartz; Titanium dioxide;

Cellulose; Petroleum asphalt; Kaolin.

Pennsylvania : The following components are listed: Crystalline silica, quartz; Titanium dioxide;

Cellulose; Petroleum asphalt; Kaolin.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Crystalline silica, quartz	Yes.	No.	No.	No.
Palygorskite	Yes.	No.	No.	No.
Titanium dioxide	Yes.	No.	No.	No.

International regulations

International lists : Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined.

Japan inventory: Not determined. **Korea inventory**: Not determined.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined. Taiwan inventory (CSNN): Not determined.

Chemical Weapons

Convention List Schedule

I Chemicals

Chemical Weapons

: Not listed

: Not listed

Convention List Schedule

II Chemicals



Chemical Weapons

Convention List Schedule

III Chemicals

: Not listed

Section 16. Other Information

History

Date of issue mm/dd/yyyy : 06/01/2015

Version : 1

Revised sections : Not applicable

Prepared by : Concrete Sealant Inc.

Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From

Ships

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.