

SAFETY DATA SHEET

Issuing Date 05-Nov-2019 Revision Date 05-Nov-2019 Revision Number 1

1. Identification

Product identifier

Product Name CS-101

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Concrete sealant

Restrictions on use For professional use only.

Details of the supplier of the safety data sheet

Supplier Address

Concrete Sealants, Inc. 9325 State Route 201 Tipp City, OH 45371 T 937-845-8776 F 937-845-3587

E-mail hello@conseal.com

Emergency telephone number

Emergency Telephone 800-332-7325

24 Hour Emergency Phone Number: Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Other information

May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Limestone	1317-65-3	20-30	*
Cellulose	9004-34-6	5-10	*
Quartz	14808-60-7	5-10	*
Aluminum oxide	1344-28-1	4.10802	*
Kaolin	1332-58-7	1-5	*
Kaolinite	1318-74-7	1-5	*
Titanium dioxide	13463-67-7	1-5	*
Glass, oxide	65997-17-3	1.7631	*
Carbon black	1333-86-4	<1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air. IF INHALED:

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur. IF IN EYES:

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the None in particular.

chemical

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with eyes. Use personal protective equipment

as required.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes. Use personal protection equipment. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with local regulations. Keep in properly labeled containers. Keep in a

dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from food, drink

and animal feeding stuffs.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone	No data available	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Cellulose	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
9004-34-6		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated) STEL: 10 mg/m ³	
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 µg/m³	IDLH: 50 mg/m ³ respirable

14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	dust
		respirable dust	TWA: 0.05 mg/m³ respirable
		: (250)/(%SiO2 + 5) mppcf	dust
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	
Aluminum oxide	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m³ total dust	-
1344-28-1	particulate matter	TWA: 5 mg/m ³ respirable	
		fraction	
		(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Kaolin	TWA: 2 mg/m³ particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Kaolinite	TWA: 1 mg/m³ respirable	-	-
1318-74-7	particulate matter		
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m³ total	TWA: 2.4 mg/m³ CIB 63 fine
		dust	TWA: 0.3 mg/m ³ CIB 63
			ultrafine, including engineered
			nanoscale
Glass, oxide	TWA: 1 fiber/cm3 respirable	-	-
65997-17-3	fibers: length >5 µm, aspect		
	ratio >=3:1, as determined by		
	the membrane filter method at		
	400-450X magnification [4-mm		
	objective], using phase-contrast		
	illumination		
	TWA: 5 mg/m³ inhalable		
	particulate matter		
Carbon black	TWA: 3 mg/m³ inhalable	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
		-	TWA: 0.1 mg/m³ Carbon black
			in presence of Polycyclic
			aromatic hydrocarbons PAH

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling. Wash hands before eating, drinking or smoking.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Solid Color Black

Odor Slight petroleum
Odor threshold No data available

Property Values Remarks • Method

No data available None known pН No data available None known Melting point / freezing point Boiling point / boiling range No data available None known No data available None known Flash point **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known No data available None known Water solubility Solubility(ies) No data available None known None known **Partition coefficient** No data available No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available information available.

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Contact with eyes may

cause irritation.

Skin contact Specific test data for the substance or mixture is not available. May be harmful in contact

with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Acute toxicity

Numerical measures of toxicity

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cellulose 9004-34-6	> 5 g/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5800 mg/m³(Rat)4 h
Aluminum oxide 1344-28-1	> 5000 mg/kg (Rat)	-	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation

Respiratory or skin sensitization

No information available.

No information available.

No information available.

John John Matagorion,

This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. This product contains titanium dioxide which is classified as an IARC 2B carcinogen based on laboratory studies where animals were exposed to titanium dioxide dust. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form. This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X

Carcinogenicity

14808-60-7				
Titanium dioxide 13463-67-7	-	Group 2B	-	Х
Glass, oxide 65997-17-3	-	Group 3	-	-
Carbon black 1333-86-4	A3	Group 2B	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Aluminum oxide - 1344-28-1	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
Quartz - 14808-60-7	Carcinogen	
Titanium dioxide - 13463-67-7	Carcinogen	
Carbon black - 1333-86-4	Carcinogen	

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	X	X	X
Asphalt, oxidized 64742-93-4	X	-	-
Cellulose 9004-34-6	Х	X	X
Quartz 14808-60-7	Х	X	X
Aluminum oxide 1344-28-1	Х	X	X
Kaolin 1332-58-7	Х	X	Х
Titanium dioxide 13463-67-7	Х	X	X
Talc 14807-96-6	Х	X	Х
Carbon black 1333-86-4	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards1Flammability0Instability0Physical and chemical properties -HMISHealth hazards1Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Issuing Date 05-Nov-2019

Revision Date 05-Nov-2019

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet