

SAFETY DATA SHEET

Issuing Date 01-Oct-2019 Revision Date 01-Oct-2019 Revision Number 1

1. Identification

Product identifier

Product Name CS-5000

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Concrete sealant

Restrictions on use For professional use only.

Details of the supplier of the safety data sheet

Supplier Address

Concrete Sealants, Inc. 9325 State Route 201 Tipp City, OH 45371 T 937-845-8776 F 937-845-3587

E-mail hello@conseal.com

Emergency telephone number

Emergency Telephone 800-332-7325

24 Hour Emergency Phone Number: Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Warning

Hazard statements

May cause an allergic skin reaction



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Talc	14807-96-6	30-40	*
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	10-20	*
Cellulose	9004-34-6	1-5	*
Quartz	14808-60-7	1-5	*
Magnesium carbonate	546-93-0	1-5	*
Rosin	8050-09-7	<1	*
2-Chloro-1,3-butadiene	126-99-8	0.0001	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation IF INHALED:. Remove to fresh air.

Eye contact IF IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. Get medical

attention if symptoms occur.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take

off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store in accordance with local regulations. Protect from

direct sunlight.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Talc	TWA: 2 mg/m³ particulate	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m ³
14807-96-6	matter containing no asbestos	respirable dust <1% Crystalline	TWA: 2 mg/m³ containing no
	and <1% crystalline silica,	silica, containing no Asbestos	Asbestos and <1% Quartz
	respirable particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust
		more;use Quartz limit	
Cellulose	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
9004-34-6		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust (vacated) TWA: 5 mg/m³	
		respirable fraction	
		(vacated) STEL: 10 mg/m ³	
Quartz	TWA: 0.025 mg/m³ respirable	TWA: 50 µg/m ³	IDLH: 50 mg/m ³ respirable
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	dust
	Ferrica	respirable dust	TWA: 0.05 mg/m³ respirable
		: (250)/(%SiO2 + 5) mppcf	dust
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	
Magnesium carbonate	No data available	-	TWA: 10 mg/m³ total dust
546-93-0			TWA: 5 mg/m³ respirable dust
Rosin	No data available	(vacated) TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
8050-09-7		Formaldehyde	Formaldehyde
2-Chloro-1,3-butadiene	TWA: 1 ppm	TWA: 25 ppm	IDLH: 300 ppm
126-99-8	S*	TWA: 90 mg/m ³	Ceiling: 1 ppm 15 min
		(vacated) TWA: 10 ppm	Ceiling: 3.6 mg/m ³ 15 min
		(vacated) TWA: 35 mg/m ³	
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Wash hands before eating, drinking or smoking.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Solid

Color Orange; Blue; Red; Gray

Odor Slight

Odor threshold No data available

Property Values Remarks • Method

No data available None known pН No data available None known Melting point / freezing point Boiling point / boiling range No data available None known No data available None known Flash point **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known No data available None known Relative density No data available None known Water solubility Solubility(ies) No data available None known None known **Partition coefficient** No data available No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

No information available

Component Information

Somponent information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³ (Rat) 4 h
Cellulose 9004-34-6	> 5 g/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5800 mg/m³(Rat)4 h
Rosin 8050-09-7	= 7600 mg/kg (Rat)	> 2500 mg/kg(Rabbit)	= 1.5 mg/L (Rat) 4 h
2-Chloro-1,3-butadiene 126-99-8	= 450 mg/kg (Rat)	= 200 mg/kg (Rat)	= 11800 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization Classification based on data available for ingredients. May cause sensitization by skin

contact.

Germ cell mutagenicity No information available.

Carcinogenicity The classification listed below for the petroleum distillates in this product pertains to those

that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline

silica is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Talc 14807-96-6	-	Group 3	-	X
Petroleum distillates, solvent dewaxed heavy paraffinic	A2	Group 1	Known	Х

64742-65-0				
Quartz 14808-60-7	A2	Group 1	Known	Х
2-Chloro-1,3-butadiene 126-99-8	A2	Group 2B	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system, Eyes, Skin, Central Vascular System (CVS), Lungs.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Talc	-	LC50: >100g/L (96h,	-	-
14807-96-6		Brachydanio rerio)		
Petroleum distillates, solvent	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,
dewaxed heavy paraffinic		Oncorhynchus mykiss)		Daphnia magna)
64742-65-0				
Rosin	EC50: =400mg/L (72h,	-	-	EC50: 3.8 - 5.4mg/L
8050-09-7	Desmodesmus			(48h, Daphnia magna)
	subspicatus)			
2-Chloro-1,3-butadiene	-	LC50: =245mg/L (96h,	-	-
126-99-8		Lepomis macrochirus)		

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
2-Chloro-1,3-butadiene	0.57
126-99-8	

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
2-Chloro-1,3-butadiene	-	Included in waste	-	-
126-99-8		streams: F024, F025,		
		F039		

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
2-Chloro-1,3-butadiene 126-99-8	Category I - Volatiles		Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

14. Transport information

DOT Not regulated

<u>TDG</u> Not regulated

MEX Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
2-Chloro-1,3-butadiene - 126-99-8	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
2-Chloro-1,3-butadiene	100 lb	-
126-99-8		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Quartz - 14808-60-7	Carcinogen
2-Chloro-1,3-butadiene - 126-99-8	Carcinogen

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Talc	X	X	X
14807-96-6			
Cellulose	X	X	X
9004-34-6			
Magnesium carbonate	X	X	-
546-93-0			
Quartz	X	X	X
14808-60-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and chemical

properties -

HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Issuing Date 01-Oct-2019

Revision Date 01-Oct-2019

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet