

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 24-Oct-2022

Revision Date 24-Oct-2022

Revision Number 1

1. Identification

Product identifier

Product Name

ConSeal CS-1500 SL

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended use

Concrete sealant

Restrictions on use

For professional use only

Details of the supplier of the safety data sheet

Supplier Address

Concrete Sealants, Inc. 9325 State Route 201 Tipp City, OH 45371 T 937-845-8776 F 937-845-3587

E-mail

hello@conseal.com

Emergency telephone number

Emergency telephone

800-332-7325

24 Hour Emergency Phone Number: Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2A	
Skin sensitization	Category 1	
Specific target organ toxicity (repeated exposure)	Category 2	

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Warning

Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated exposure.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/eye protection/face protection.

Precautionary Statements - Response

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Causes mild skin irritation. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Trade secret
Calcium carbonate	1317-65-3	40 - 60	*
Kaolin	1332-58-7	5 - 10	*
Titanium dioxide	13463-67-7	1 - 5	*
Trimethoxy vinylsilane	2768-02-7	1.5 - 2.5	*
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	1 - 5	*
Quartz	14808-60-7	0.1 - 0.5	*
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	0.1 - 0.5	*
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	41556-26-7	0.1 - 0.5	*
Phosphorus pentoxide	1314-56-3	0.1 - 0.5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

IF INHALED: Remove to fresh air. If symptoms persist, call a physician. If breathing has

stopped, give artificial respiration. Get medical attention immediately.

Revision Date: 24-Oct-2022

ConSeal CS-1500 SL Revision Date: 24-Oct-2022

Eye contact IF IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops

and persists.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion IF SWALLOWED: Rinse mouth. Never give anything by mouth to an unconscious person.

Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical, CO2, alcohol-resistant foam or water spray.

Unsuitable extinguishing media Water spray jet.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

Page 3 / 10

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

Revision Date: 24-Oct-2022

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Calcium carbonate	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable
		fraction	dust
		(vacated) TWA: 15 mg/m ³	
		total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Kaolin	TWA: 2 mg/m³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable
	and <1% crystalline silica,	fraction	dust
	respirable particulate matter	(vacated) TWA: 10 mg/m ³	
		total dust	
	1	(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Titanium dioxide	TWA: 0.2 mg/m³ nanoscale	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³	TWA: 2.4 mg/m³ CIB 63 fine
	TWA: 2.5 mg/m³ finescale	total dust	TWA: 0.3 mg/m³ CIB 63
	respirable particulate matter		ultrafine, including engineered
			nanoscale
Quartz	TWA: 0.025 mg/m³ respirable		IDLH: 50 mg/m³ respirable
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	dust
			TWA: 0.05 mg/m³ respirable
14		: (250)/(%SiO2 + 5) mppcf	dust
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves.

ConSeal CS-1500 SL Revision Date: 24-Oct-2022

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Solid
Color Gray
Odor Mild

Odor threshold No data available

Property Values Remarks • Method

pHNo data availableMelting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlash pointNo data availableEvaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive limits
Lower flammability or explosive limits
No data available
Vapor pressure
No data available
Vapor density
No data available
Relative density
No data available

Relative density
Water solubility Insoluble in water

Solubility(ies)

Partition coefficient

Autoignition temperature

Decomposition temperature

Kinematic viscosity

No data available

Other information

Explosive properties

Oxidizing properties

No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

(M)SDS Number UL-CS-062 Page 5 / 10

Revision Date: 24-Oct-2022

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Causes mild skin irritation. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Prolonged contact may

cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Prolonged contact may

cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	=	= 5.09 mg/L (Rat) 4 h
Trimethoxy vinylsilane 2768-02-7	= 7120 - 7236 (Rat)	= 3200 mg/kg (Rabbit)	= 16.8 mg/L (Rat) 4 h
N-[3-(Trimethoxysilyl)propyl]-1,2 -ethanediamine 1760-24-3	= 2413 mg/kg (Rat)	> 2009 mg/kg (Rabbit)	1.49 - 2.44 mg/L (Rat) 4 h
Bis(2,2,6,6-tetramethyl-4-piperid yl) sebacate 52829-07-9	-	> 3170 mg/kg (Rat)	= 500 mg/m³ (Rat) 4 h
Bis (1,2,2,6,6-pentamethyl-4-piperid inyl) sebacate 41556-26-7	= 2615 mg/kg(Rat)	-	-
Phosphorus pentoxide 1314-56-3	15	-	= 1217 mg/m³ (Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Revision Date: 24-Oct-2022

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No information available.

Carcinogenicity

This product contains titanium dioxide which is classified as an IARC 2B carcinogen based on laboratory studies where animals were exposed to titanium dioxide dust. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	A3	Group 2B	-	Х
Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Target organ effects

Respiratory system. Eyes. Skin. Lungs. Gastrointestinal tract (GI).

Aspiration hazard

No information available.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxy vinylsilane 2768-02-7	-	LC50: =191mg/L (96h, Oncorhynchus mykiss)	-	-
N-[3-(Trimethoxysilyl)propyl]-1, 2-ethanediamine 1760-24-3	Scenedesmus subspicatus)	LC50: =344mg/L (96h, Brachydanio rerio)	-	EC50: =81mg/L (48h, Daphnia magna)
Bis(2,2,6,6-tetramethyl-4-piperi dyl) sebacate 52829-07-9	EC50: =1.9mg/L (72h, Scenedesmus subspicatus)	LC50: =4.4mg/L (96h, Brachydanio rerio)	-	EC50: =0.57mg/L (48h, Daphnia sp)
Bis	-	LC50: =0.97mg/L (96h,	12	-

Revision Date: 24-Oct-2022

(1,2,2,6,6-pentamethyl-4-piperi dinyl) sebacate 41556-26-7	Lepomis macrochirus)	
--	----------------------	--

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	0.35
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate 41556-26-7	0.37

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. Regulatory information

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Revision Date: 24-Oct-2022

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

The classification listed below only applies to respirable quartz. The classification listed below only applies to respirable titanium dioxide. This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Quartz - 14808-60-7	Carcinogen	
Silica, cristobalite - 14464-46-1	Carcinogen	
Methanol - 67-56-1	Developmental	
Diisononyl phthalate - 28553-12-0	Carcinogen	
Furan - 110-00-9	Carcinogen	
Propylene oxide - 75-56-9	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium carbonate 1317-65-3	X	Х	X
Kaolin 1332-58-7	Х	Х	Х
Titanium dioxide 13463-67-7	Х	Х	Х
Quartz 14808-60-7	Х	Х	Х
Mica 12001-26-2	Х	Х	Х
Silica, cristobalite 14464-46-1	Х	Х	Х
Phosphorus pentoxide 1314-56-3	Х	Х	Х
Silicon dioxide 7631-86-9	-	Х	Х
Zirconium oxide 1314-23-4	-	Х	an an
Potassium oxide 12136-45-7	Х	-	#2
Methanol 67-56-1	Х	Х	Х
Diisononyl phthalate 28553-12-0	-	-	Х
Furan 110-00-9	Х	Х	X
Propylene oxide 75-56-9	Х	Х	X
Acetaldehyde 75-07-0	Х	Х	Х

Revision Date: 24-Oct-2022

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA

Health hazards 2

Flammability 0

Instability 0

Special hazards -

HMIS

Health hazards 2*

Flammability 0

Physical hazards 0

Personal protection X

Chronic Hazard Star Legend

* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling

Maximum limit value

Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date

24-Oct-2022

Revision Date

24-Oct-2022

Revision Note

Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet