

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 01-Oct-2019 Revision Date 29-Mar-2024 Revision Number 1.01

1. Identification

Product identifier

Product Name CS-665

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Concrete sealant

Restrictions on use For professional use only

Details of the supplier of the safety data sheet

Supplier Address

Concrete Sealants, Inc. 9325 State Route 201 Tipp City, OH 45371 T 937-845-8776 F 937-845-3587

E-mail hello@conseal.com

Emergency telephone number

Emergency telephone 800-332-7325

24 Hour Emergency Phone Number: Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Hazard statements

Not classified.

Other information

May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Calcium carbonate	471-34-1	30-40	*
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	20-30	*
Talc	14807-96-6	10-20	*
Magnesium carbonate	546-93-0	5-10	*
Cellulose	9004-34-6	1-5	*
Kaolin	1332-58-7	1-5	*
Quartz	14808-60-7	<1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation IF INHALED: Remove to fresh air.

Eye contact IF IN EYES: Rinse thoroughly with plenty of water, also under the eyelids. Get medical

attention if symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the

chemical

None in particular.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with eyes. Use personal protective equipment as

required.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes. Use personal protection equipment. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with local regulations. Keep in properly labeled containers. Keep in a

dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from food, drink

and animal feeding stuffs.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Calcium carbonate	-	-	TWA: 10 mg/m³ total dust
471-34-1			TWA: 5 mg/m ³ respirable
			dust
Talc	TWA: 2 mg/m³ particulate	TWA: 20 mppcf if 1%	IDLH: 1000 mg/m ³
14807-96-6	matter containing no asbestos	Quartz or more, use Quartz	TWA: 2 mg/m³ containing no
	and <1% crystalline silica,	limit	Asbestos and <1% Quartz
	respirable particulate matter	(vacated) TWA: 2 mg/m ³	respirable dust
		respirable dust <1%	
		Crystalline silica, containing	
		no Asbestos	
		TWA: 20 mppcf if 1% Quartz	
		or more, use Quartz limit	
Magnesium carbonate	-	-	TWA: 10 mg/m ³ total dust
546-93-0			TWA: 5 mg/m ³ respirable

			dust	
Cellulose	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³	total dust
9004-34-6		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³	respirable
		fraction	dust	
		(vacated) TWA: 15 mg/m ³		
		total dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
		(vacated) STEL: 10 mg/m ³		
Kaolin	TWA: 2 mg/m³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³	total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³	respirable
	and <1% crystalline silica,	fraction	dust	
	respirable particulate matter	(vacated) TWA: 10 mg/m ³		
		total dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
Quartz	TWA: 0.025 mg/m³ respirable		IDLH: 50 mg/m ³	respirable
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	dust	
		respirable dust	TWA: 0.05 mg/m ³	respirable
		: (250)/(%SiO2 + 5) mppcf	dust	
		TWA respirable fraction		
		: (10)/(%SiO2 + 2) mg/m ³		
		TWA respirable fraction		

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling. Wash hands before eating, drinking or smoking.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Solid Color Green

Odor Slight petroleum
Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available
No data available

pH (as aqueous solution)

No data available

Melting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlash pointNo data availableEvaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available Vapor pressure No data available Relative vapor density No data available No data available Relative density No data available Water solubility No data available Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** Kinematic viscosity No data available **Dynamic viscosity** No data available

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. Contact with eyes may cause

irritation.

Skin contact Specific test data for the substance or mixture is not available. May be harmful in contact

with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Acute toxicity .

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (dermal) > 2,000 mg/kg ATEmix (inhalation-dust/mist) > 5 mg/l

Component Information

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ī	Calcium carbonate 471-34-1	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
	Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m³ (Rat) 4 h
Ī	Cellulose 9004-34-6	> 5 g/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h
Ī	Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Serious eye damage/eye irritationNo information available.Respiratory or skin sensitizationNo information available.

Germ cell mutagenicity No information available.

Carcinogenicity The classification listed below for the petroleum distillates in this product pertains to those

that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is

unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	Х
Talc 14807-96-6	-	Group 3	-	X
Quartz 14808-60-7	A2	Group 1	Known	Х

hanand

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system. Eyes. Skin. Central Vascular System (CVS). Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)		EC50: >1000mg/L (48h, Daphnia magna)
Talc 14807-96-6	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-

Persistence and degradability No information available.

Bioaccumulation No information available.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

products

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. Regulatory information

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
Quartz - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Talc 14807-96-6	X	X	X
Magnesium carbonate 546-93-0	Х	X	-
Cellulose 9004-34-6	X	X	X
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
Silicon dioxide 7631-86-9	-	X	X
Rosin 8050-09-7	-	-	X
Ethylidene norbornene 16219-75-3	Х	Х	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability0Instability0Special hazards-HMISHealth hazards1Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 01-Oct-2019

Revision Date 29-Mar-2024

Revision Note SDS sections updated, 2, 4, 11, 15.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet